

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant: Riverhawk Company
 Riverhawk Company,
Address: 215 Clinton Road,
 New Hartford, NY 13413
Country: USA
Contact: Gary Wileczka
Phone: (315)768-4855
FAX: --
Email: gary.wileczka@riverhawk.com

Manufacturer: Riverhawk Company
 Riverhawk Company,
Address: 215 Clinton Road,
 New Hartford, NY 13413
Country: USA
Contact: Gary Wileczka
Phone: (315)768-4855
FAX: --
Email: gary.wileczka@riverhawk.com

Party Authorized To Apply Mark: Same as Applicant
Report Issuing Office: Cortland, New York

Catherine Dwyer

Control Number: 4010620

Authorized by: _____
 for Thomas J. Patterson, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.
 545 East Algonquin Road, Arlington Heights, IL 60005
 Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1672

[Handwritten signatures]

Standard(s):	<p>CSA C22.2 No. 213 M1987 Edition 1 (reaffirmed 2013) Non-Incendive Electrical Equipment for use in Class I, Division 2 Hazardous Locations.</p> <p>ANSI/ISA-12.12.01-2013 Approved 3 June 2013. Non-Incendive Electrical Equipment for use in Class I and II, Division 2 and Class III Division 1 and 2 Hazardous (Classified) Locations.</p> <p>UL 61010-1 Issued 2012/05/11 Edition 3. Electrical Equipment for Measurement, Control and Laboratory use – Part 1: General Requirements</p> <p>CSA C22.2#61010-1 issued 2004/07/12 Edition 2 (reaffirmed 2009). Electrical Equipment for Measurement, Control, and Laboratory Use Part 1: General Requirements, with general instruction No.1</p>
Product:	<p>Torque monitoring system TMS 2200</p> <p>CLASS I DIVISION 2 GROUP ABCD T4</p> <p>0°C <Tamb<50°C Monitor 0°C <Tamb<85°C ESC 0°C <Tamb<115°C TMS2200 Unit.</p> <p>NOTE: The TMS2200 UNIT and ESC are power-limited circuit. They are considered safe of fire and shock hazard for evaluation.</p>
Models:	TMS 2200